

SECTION 12 61 00 - FIXED AUDIENCE SEATING

PART 1 - GENERAL (Not Applicable)

PART 2 - PRODUCTS

2.1 MANUFACTURERS

- A. Manufacturers: Subject to compliance with requirements, provide products from one of the followings:
 - 1. Hussey Seating Company.
 - 2. Irwin Seating Company.
 - 3. KI, Inc.
 - 4. Seating Concepts, LLC.

2.2 MATERIALS

- A. Fabric: 100 percent nylon or wool with flame-retardant treatment.

2.3 FIXED AUDIENCE SEATING

- A. Fixed Audience Seating: At a minimum, provide seating that complies with the following. Upgraded finishes are acceptable as reviewed and approved on a project specific basis by the University Project Manager.
- B. Chair Mounting: Provide the following as appropriate to installation.
 - 1. Standards: Floor or riser attached; steel or cast iron standards.
 - 2. Beam: Mounted on floor or riser-attached pedestals.
 - 3. Pedestal: Floor-attached.
 - 4. End Panels.
- C. Fabric Upholstered Chairs:
 - 1. Backs: Padded.
 - a. Rear Panel: Molded plastic.
 - 2. Seats: Two part.
 - a. Seat Bottom: Steel sheet seat pan.
- D. Back Height: Standard style.
- E. Back Pitch: Fixed.
- F. Chair Seat Hinges: Self-rising, spring actuated.
- G. Armrests: Plastic.
- H. Power and Data Service Package: Power receptacles and data ports to each seat location.
- I. Tablet Arms: Standard-size, foldaway tablet arm with plastic-laminate writing surface.
- J. Accessible Seating: Provide.

2.4 LECTURE-HALL TABLES

- A. Supports: Attached to floor.

- B. Table Top: Plastic laminate on medium-density fiberboard.
- C. Modesty Panels: Partial-height panels.
- D. Power and Data Service Package: Power receptacles and data ports in table top at each seat location.

PART 3 - EXECUTION (Not Applicable)

END OF SECTION 12 61 00